In the Claims:

RECEIVED CENTRACFAX CENTER

JUN 2 0 2007

Claim 1 (currently amended) A compound of the formula

$$A-X-(AA)_{n}-N$$

$$H$$

$$O$$

$$R$$

 $\cdot(I)$ 

wherein A is

$$R^{4} \longrightarrow N^{3} \longrightarrow R^{1}$$

$$R^{5} \longrightarrow N$$

$$R^{6} \longrightarrow N$$

$$R^{2} \longrightarrow R^{2}$$

R<sup>1</sup>, R<sup>2</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are independently selected from the group consisting of hydrogen, halogen, OH, alkyl, alkoxy, cyano, nitro and NR<sup>7</sup>R<sup>8</sup>,

R<sup>7</sup> and R<sup>8</sup> are independently selected from the group consisting of hydrogen, alkyl and -COR<sup>9</sup>,

R9 is selected from the group consisting of hydrogen, alkyl and alkoxy,

R<sup>3</sup> is selected from the group consisting of hydrogen, alkyl and -COR<sup>10</sup>,

R<sup>10</sup> is selected from the group consisting of hydrogen, alkyl and alkoxy, and

W is selected from the group consisting of a bond, -CH<sub>2</sub>-CH<sub>2</sub>-, -CH=CH-, -O-, -S- and -NR<sup>11</sup>- in which

R<sup>11</sup> is hydrogen or alkyl;

X is selected from the group consisting of -CO-, -Y-CO-, -O-Y-CO- and -NR<sup>12</sup>-Y-CO-, Y is alkylene or haloalkylene,

R<sup>12</sup> is hydrogen, alkyl and -COR<sup>13</sup>,

R<sup>13</sup> is selected from the group consisting of hydrogen, alkyl, haloalkyl and alkoxy,

AA is, each time that it occurs, selected from the group consisting of a natural amino
acid, a natural amino acid the side chain of which, which carries a reactive chemical
function, is protected in the form of alkyl or aralkyl ester for the acid functions, alkyl or
aralkyl carbamate or alkyl or aralkyl carboxamide in the form of alkyl or aralkyl ether or
alkyl or aralkyl thioether or in the form If alkyl or aralkyl ester (for the alcohol and thiol
functions) and finally an amino acid of the formula -NR<sup>14</sup> -(CH<sub>2</sub>)<sub>p</sub>-CR<sup>15</sup>R<sup>16</sup> -CO- in
which p is 0 or 1, R<sup>14</sup> is hydrogen or alkyl, R<sup>15</sup> is hydrogen or alkyl, R<sup>45</sup> is hydrogen or
alkyl, R<sup>15</sup> is hydrogen or alkyl, R<sup>16</sup> is selected from the group consisting of hydrogen,
alkyl, haloalkyl, phenyl, cycloalkyl, cycloalkylalkyl and alkenyl,
or R<sup>15</sup> and R<sup>16</sup> forming with the carbon atom to which they are attached a saturated

earbocycle with 3 to 7-carbon atoms,

an - $(AA)_2$ - also being able to be a-earbapeptide of the formula -NR<sup>17</sup>- $(CH_2)_3$ -CH(R<sup>18</sup>)-CO- in which R<sup>17</sup> is hydrogen or alkyl and R<sup>18</sup> is hydrogen or alkyl;

n is 2 or 3; and finally

R is selected from the group consisting of hydrogen, alkyl and -CO-R<sup>19</sup>

R<sup>19</sup> is alkyl; and

or a salt thereof.

Claim 2 (previously presented) A compound of claim 1, wherein:

- ❖ R<sup>1</sup>, R<sup>2</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are independently selected from the group consisting of hydrogen, halogen alkyl, alkoxy an alkyl, alkoxy and -NR<sup>7</sup>R<sup>8</sup>;
- R<sup>3</sup> is selected from the group consisting of hydrogen, methyl and -COR<sup>9</sup> in which R<sup>9</sup> is methyl or tert-butoxy;
- ❖ W is selected from the group consisting of a bond -CH<sub>2</sub>-CH<sub>2</sub>-, -CH=CH-, O and -S-;
- X is selected from the group consisting of -CO-, -Y-CO- and -O-Y-CO-;
- -(AA)<sub>n</sub>- contains amino acids chosen independently from the group consisting of natural amino acids, 3-methylvaline, norvaline, phenylglycine, vinylglycine and
   2- aminobutyric acid;
- n is 2; and
- R is hydrogen or methyl;

or a salt thereof.

Claim 3 (previously presented) A compound of claim 1, wherein

- ❖ R<sup>1</sup>, R<sup>2</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are independently selected from the group consisting of hydrogen alkyl and alkoxy;
- R<sup>3</sup> is hydrogen or methyl;

- ❖ W is -O- or -S-;
- **♦** X is -Y-CO- or -O-Y-CO-;
- -(AA)<sub>n</sub>- is an -(AA<sup>2</sup>)-(AA<sup>1</sup>)- such that AA<sup>1</sup> is Leu and AA<sup>2</sup> is an amino acid chosen from the group consisting of natural amino acids, 3-methylvaline, norvaline, phenylglycine, vinylglycine and 2-aminobutyric acid;
- R is hydrogen,
   or a salt thereof.

Claim 4 (previously presented) A compound of claim 1 is selected from the group consisting of:

- N-(10H-phenothiazin-2-ylcarbonyl)-L-leucyl-L-leucyl-  $N^{1}$ -[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)-L-leucyl-L-leucyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyi)glycyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)leucyl- $N^1-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;$
- $N^6$ -[(benzyloxy)carbonyl]- $N^2$ -(10H-phenothiazin-2-ylcarbonyl)lysyl-  $N^1$ -[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- 1-(10H-phenothiazin-2-ylcarbonyl)-L-prolyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)glycyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)leucyl- $N^1-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;$

- N<sup>6</sup>-[(benzyloxy)carbonyl]-N<sup>2</sup>-(10H-phenothiazin-2-ylcarbonyl)lysyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- 1-(10H-phenothiazin-2-ylcarbonyl)-L-prolyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylcarbonyl)leucyl-N<sup>1</sup>-[(3S)-2-(acetyloxy)-tetrahydrofuran-3-yl]-L-leucinamide;
- N<sup>2</sup>-(10H-phenothiazin-2-ylcarbonyl)lysyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-leucyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- O-(tert-butyl)-N-(10H-phenothiazin-2-ylacetyl)-L-seryl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-alanyl-3-cyclohexyl-N<sup>t</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-alaninamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-leucyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- O-(tert-butyl)-N-(10H-phenothiazin-2-ylacetyl)-L-seryl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10H-phenothiazin-2-ylacetyl)-L-alanyl-3-cyclohexyl-
- N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-alaninamide;
- N-[3-(10H-phenothiazin-2-yl)propanoyl]-L-leucyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[3-(10H-phenothiazin-2-yl)propanoyl]-L-leucyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- $N-[(10H-phenothiazin-2-yloxy)acetyl]-L-leucyl-N^1-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;$
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-alanyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]- $\beta$ -alanyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- $N-[(10H-phenothiazin-2-yloxy)acetyl]-D-valyl-N^1-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;$
- 3-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-N<sup>2</sup>-((2S)-2-{[(10H-phenothiazin-2-yloxy)-acetyl]amino}butanoyl)-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-norvalyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-
- 3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-seryl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-threonyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-
- 3-yl]-L-leucinamide;
- $N^1$ -[(3S)-2-methoxytetrahydrofuran-3-yl]- $N^2$ -((2S)-2-{{(10H-phenothiazin-2-yloxy)acetyl]amino}-2-phenylethanoyl)-L-lcucinamide;
- N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-N<sup>2</sup>-((2S)-2-{[(10H-phenothiazin-2-yloxy)acetyl]amino}but-3-enoyl)-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-valinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-3-cyclohexyl- N<sup>1</sup>-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-alaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-phenylalaninamide;
- $N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N^2-isobutyl-N^1-[(3S)-2-methoxytetrahydrofuran-3-yl]glycinamide;$
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-leucyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- $N-[(10H-phenothiazin-2-yloxy)acetyl]-L-alanyl-<math>N^1-[(3S)-2-hydroxytetrahydrofiuran-3-yl]-L-leucinamide;$
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]- $\beta$ -alanyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-D-valyl-N<sup>1</sup>-{(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- 3-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]-L-valyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- $N^1$ -[(3S)-2-hydroxytetrahydrofuran-3-yl]- $N^2$ -((2S)-2-{[(10H-phenothiazin-2-yloxy)acetyl]amino}butanoyl)-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-norvalyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-seryl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;

- N-[(10H-phenothiazin-2-yloxy)acetyl]-L-threonyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- $N^1$ -[(3S)-2-hydroxytetrahydrofuran-3-yl]- $N^2$ -((2S)-2-{{(10H-phenothiazin-2)}}- $N^2$ -((2S)-2-(10H-phenothiazin-2)
- 2-yloxy)acetyl]amino}-2-phenylethanoyl)-L-leucinamide;
- $N^1$ -[(3S)-2-hydroxytetrahydrofuran-3-yl]- $N^2$ -((2S)-2-{[(10H-phenothiazin-2-yloxy)-acetyl]amino}but-3-enoyl)-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-valinamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-3-cyclohexyl-N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-alaninamide;
- N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-phenylalaninamide;
- $N-[(10H-phenothiazin-2-yloxy)acetyl]glycyl-N^1-[(3S)-2-hydroxytetrahydrofuran-3-yl]-N^2-isobutylglycinamide;$
- N-[2-methyl-2-(10H-phenothiazin-2-yloxy)propanoyl]glycyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[2-methyl-2-(10H-phenothiazin-2-yloxy)propanoyl]glycyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-(10,11-dihydro-5H-dibenzo[b,f]azepin-3-ylcarbonyl)-L-leucyl-

N1-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;

- N-(10,11-dihydro-5H-dibenzo[b,f]azepin-3-ylcarbonyl)-L-leucyl-
- N¹-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide;
- N-[(5-acetyl-10,1]-dihydro-5H-dibenzo[b,f]azepin-3-yl)carbonyl]-L-leucyl-N¹-[(3S)-2-methoxytetrahydrofuran-3-yl]-L-leucinamide;
- 2-methyl-N-[(10H-phenothiazin-2-yloxy)acetyl]alanyl-N<sup>1</sup>-[(3S)-2-hydroxytetrahydrofuran-3-yl]-L-leucinamide ;and

or a salt thereof.

Claims 5 to 10 (cancelled).

Cancel Claims 11 to 14.